

# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#1  
Version Number G  
MSDS Date: JUN-15-2005  
Page Number: 1 of 6

---

## SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: DOUBLE BUBBLE RED PACKAGE  
Hazard Rating: Health: 2 Fire: 1 Reactivity: 0 PPI:

Company Identification: ROYAL ADHESIVES & SEALANTS LLC  
600 CORTLANDT STREET  
BELLEVILLE NJ 07109-3384

Contact: BRUCE WEINMAN  
Telephone/Fax: (973) 751-3000 (973) 751-8407  
Emergency Phone (24 Hour): ENVIRONMENTAL SPECIALIST  
(973) 751-3000  
Chemtrec (24 Hour): (800) 424-9300  
Preparer: B. WEINMAN  
ENVIRONMENTAL SPECIALIST

Product Class EPOXY  
Trade Name EXTRA FAST SETTING  
Product Code (04001) PART A

## SECTION II - INGREDIENT AND HAZARD INFORMATION

Hazardous Ingredients	CAS Number
TRADE SECRET	TRADE SECRET
EPOXY RESIN	25068-38-6
TRADE SECRET	TRADE SECRET

\*\*\* ALL Ingredients in this product are listed in the T.S.C.A. Inventory

## SECTION III - HAZARDS IDENTIFICATION

EYE CONTACT:  
CAUTION! CAN CAUSE MODERATE IRRITATION. MAY CAUSE SEVERE EYE  
INJURY. DAMAGE REVERSIBLE.

SKIN CONTACT:  
CAUTION! MODERATELY IRRITATING TO THE SKIN. PROLONGED OR REPEATED

---

# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#1  
Version Number G  
MSDS Date: JUN-15-2005  
Page Number: 2 of 6

---

EXPOSURE MAY RESULT IN SENSITIZATION AND RASH. NOT LIKELY TO BE ABSORBED THROUGH SKIN IN TOXIC AMOUNTS.

## INHALATION:

INHALATION OF VAPOR COULD CAUSE HEADACHES, NAUSEA, DIZZINESS AND RESPIRATORY TRACT IRRITATION.

## INGESTION:

EXPECTED TO BE SLIGHTLY TOXIC BY THIS ROUTE.

## HEALTH HAZARD INFORMATION:

### CARCINOGENICITY:

THE MATERIALS USED IN THE MANUFACTURE OF THIS PRODUCT ARE NOT FOUND ON THE OSHA, IARC OR NTP LISTS OF CARCINOGENS.

## SECTION IV - FIRST AID MEASURES

### EYE CONTACT:

FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET IMMEDIATE MEDICAL ATTENTION.

### SKIN CONTACT:

REMOVE CONTAMINATED CLOTHING AND WIPE EXCESS FROM SKIN. FLUSH SKIN WITH WATER. FOLLOW BY WASHING WITH SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. LAUNDRY CONTAMINATED CLOTHING. DESTROY LEATHER ARTICLES INCLUDING SHOES.

### INHALATION:

REMOVE PERSON TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET IMMEDIATE MEDICAL ATTENTION.

### INGESTION:

DO NOT INDUCE VOMITING. GET MEDICAL ADVICE.

## SECTION V - FIRE-FIGHTING MEASURES

Flammability Class	IIIB
Flash Range:	Not Available
	Pensky-Martens Closed Cup ASTM D 93
	375F
Explosive Range:	Not Available

### FIRE-FIGHTING MEASURES:

WATER FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE.  
DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR  
(HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES AND RUBBER)

---

# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#1  
Version Number: G  
MSDS Date: JUN-15-2005  
Page Number: 3 of 6

---

BOOTS), INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS (SCBA).  
COOL FIRE EXPOSED CONTAINERS WITH WATER.

## SECTION VI - ACCIDENTAL RELEASE MEASURES

### SPILLS:

ABSORB LIQUID MATERIAL AND PLACE IN CONTAINER FOR DISPOSAL. COMPLY WITH LOCAL, STATE, AND FEDERAL EPA REGULATIONS.

## SECTION VII - HANDLING AND STORAGE

### STORAGE CONDITIONS:

STORE IN A COOL, DRY PLACE. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

## SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational Exposure Limits

	ACGIH TLV	ACGIH TLV-C	ACGIH STEL	OSHA STEL	OSHA PEL
TRADE SECRET	N/est	N/est	N/est	N/est	N/est
EPOXY RESIN	N/est	N/est	N/est	N/est	N/est
TRADE SECRET	N/est	N/est	N/est	N/est	N/est

### PERSONAL PROTECTIVE EQUIPMENT:

IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROL OR VENTILATION, WEAR A RESPIRATOR APPROVED BY NIOSH/MSHA WHENEVER EXPOSED TO FUMES OR VAPORS. COMPLY WITH OSHA 1910.134 (CFR).

SELF-CONTAINED BREATHING APPARATUS IN HIGH CONCENTRATIONS.

LOCAL EXHAUST IS RECOMMENDED.

USE CHEMICAL RESISTANT PROTECTIVE GLOVES, CHEMICAL SPLASH GOGGLES.

CHEMICAL RESISTANT PROTECTIVE CLOTHING TO MINIMIZE EXPOSURE;  
CHEMICAL SPLASH APRON, FULL FACE SHIELD. EYE WASH STATION AND SAFETY SHOWER SHOULD BE AVAILABLE FOR EMERGENCY USE.

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Form: LIQUID

---

# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#1  
Version Number: G  
MSDS Date: JUN-15-2005  
Page Number: 4 of 6

---

Appearance/Color: TRANSPARENT/LT AMBER  
Odor: MILD  
Boiling Range: Not Available  
Vapor Pressure (mmHg): Not Available  
Melting Point: Not Applicable  
Evaporation Rate: Unavailable  
  
% Volatile: Not Available  
Specific Gravity: 1.19  
VOC: 5.04 GMS/LITER\*

OTHER INFORMATION:  
\*VOC CONTENT WAS TESTED VIA EPA METHOD 24

## SECTION X - STABILITY AND REACTIVITY

Stability: This product is stable  
Hazardous Polymerization: Hazardous polymerization will not occur

### REACTIVITY:

#### INCOMPATIBILITY:

OXIDIZING AGENTS, STRONG MINERAL ACIDS, STRONG LEWIS ACIDS, BASES, MERCAPTANS, AMINES.

#### CONDITIONS TO AVOID:

HIGH TEMPERATURES.

#### HAZARDOUS DECOMPOSITION PRODUCTS:

CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES, ACIDS.

## SECTION XI - TOXICOLOGICAL INFORMATION

Lethal Dose Information (ppm)	Oral	Skin	Inhale	LC50
-------------------------------	------	------	--------	------

TOXICOLOGICAL INFORMATION:  
NO INFORMATION IS AVAILABLE.

## SECTION XII - ECOLOGICAL INFORMATION

NO INFORMATION IS AVAILABLE.

## SECTION XIII - DISPOSAL CONSIDERATIONS

### RCRA CONSIDERATIONS:

THIS PRODUCT IF DISPOSED OF IN THE PURCHASED FORM IS NOT CONSIDERED

---

# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#1  
Version Number G  
MSDS Date: JUN-15-2005  
Page Number: 5 of 6

---

RCRA HAZARDOUS.

## SECTION XIV - TRANSPORT INFORMATION

UN Number  
UN Pack Group  
UN Class  
ICAO/IATA Class NOT REGULATED  
IMDG Class NOT REGULATED  
Shipping Name PLASTIC LIQUID, NOS  
ADR/RID Class NOT REGULATED  
DOT Hazard Class  
Technical Name

## SECTION XV - REGULATORY INFORMATION

### TSCA STATUS:

ALL INGREDIENTS CONTAINED IN THIS PRODUCT ARE ON THE TSCA INVENTORY.

### INVENTORY STATUS:

ALL THE COMPONENT(S) OF THIS PRODUCT HAVE BEEN FOUND ON THE FOLLOWING INVENTORIES:

UNITED STATES  
CANADA (DSL)  
EUROPE

ALL THE COMPONENT(S) OF THIS PRODUCT HAVE NOT YET BEEN IDENTIFIED ON THE FOLLOWING INVENTORIES:

JAPAN  
AUSTRALIA  
KOREA  
CHINA  
PHILIPPINES

### SCHEDULE B NUMBER:

3506.91.0000 IS THE SCHEDULE B EXPORT CLASSIFICATION NUMBER.

### PROPOSITION 65 INFORMATION:

04001 PART A CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER/REPRODUCTIVE TOXICITY.

106-89-8

EPICHLOROHYDRIN

<1 PPM

---

# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#1  
Version Number: G  
MSDS Date: JUN-15-2005  
Page Number: 6 of 6

---

122-60-1

PHENYL GLYCIDYL ETHER

<6 PPM

## SECTION XVI - OTHER INFORMATION

### DISCLAIMER:

ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT AS OF THE DATE HEREOF, ROYAL ADHESIVES & SEALANTS LLC MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF. INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING SAME WILL MAKE THEIR OWN DETERMINATION AS TO ITS SUITABILITY FOR THEIR PURPOSES PRIOR TO USE. IN NO EVENT WILL ROYAL ADHESIVES & SEALANTS LLC BE RESPONSIBLE FOR DAMAGES OF ANY NATURE WHATSOEVER RESULTING FROM THE USE OF OR RELIANCE UPON INFORMATION. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OF ANY NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

## MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#2  
Version Number H  
MSDS Date: JUN-15-2005  
Page Number: 1 of 6

---

### SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: DOUBLE BUBBLE RED PACKAGE  
Hazard Rating: Health: 2 Fire: 1 Reactivity: 0 PPI:

Company Identification: ROYAL ADHESIVES & SEALANTS LLC  
600 CORTLANDT STREET  
BELLEVILLE NJ 07109-3384

Contact: BRUCE WEINMAN  
Telephone/Fax: (973) 751-3000 (973) 751-8407  
Emergency Phone (24 Hour): ENVIRONMENTAL SPECIALIST  
(973) 751-3000  
Chemtrec (24 Hour): (800) 424-9300  
Preparer: B. WEINMAN  
ENVIRONMENTAL SPECIALIST

Product Class: MERCAPTAN-TERMINATED POLYMER  
Trade Name: EXTRA FAST SETTING  
Product Code: (04001) PART B

### SECTION II - INGREDIENT AND HAZARD INFORMATION

Hazardous Ingredients	CAS Number
MERCAPTAN TERMINATED POLYMER	TRADE SECRET
TERTIARY AMINE	TRADE SECRET

\*\*\* ALL Ingredients in this product are listed in the T.S.C.A. Inventory

### SECTION III - HAZARDS IDENTIFICATION

#### EYE CONTACT:

CORROSIVE TO THE EYES AND MAY CAUSE SEVERE DAMAGE INCLUDING  
BLINDNESS. VAPORS MAY BE IRRITATING.

#### SKIN CONTACT:

MAY CAUSE SEVERE SKIN IRRITATION. CORROSIVE ON PROLONGED CONTACT.  
SLIGHTLY TOXIC BY SKIN ABSORPTION.

#### INHALATION:

---

# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#2  
Version Number H  
MSDS Date: JUN-15-2005  
Page Number: 2 of 6

---

SLIGHTLY TOXIC. CAN CAUSE IRRITATION OF RESPIRATORY TRACT. OVER EXPOSURE TO VAPOR OR FUMES MAY CAUSE DELAYED LUNG DAMAGE AND CHEMICAL PNEUMONIA.

**INGESTION:**

SLIGHTLY TOXIC. INGESTION MAY CAUSE FATIGUE, MUSCULAR WEAKNESS, LABORED BREATHING AND IRRITATION OF GASTRO-INTESTINAL TRACT.

**NOTES TO PHYSICIAN:**

GASTRIC LAVAGE MAY BE CONSIDERED DEPENDING ON DEGREE OF MUCOSAL DAMAGE. TREATMENT FOR SHOCK, RESPIRATORY DEPRESSION AND CONVULSIONS MAY BE NECESSARY.

**OVER-EXPOSURE HEALTH HAZARD INFORMATION:**

ACUTE: SEVERE BURNS TO SKIN, EYES, RESPIRATORY AND GASTROINTESTINAL TRACTS. CHRONIC: DEMATITIS, DELAYED LUNG INJURY, CHEMICAL PNEUMONIA

**HEALTH HAZARD INFORMATION:**

**CARCINOGENICITY:**

THE MATERIALS USED IN THE MANUFACTURE OF THIS PRODUCT ARE NOT FOUND ON THE OSHA, IARC OR NTP LISTS OF CARCINOGENS.

## SECTION IV - FIRST AID MEASURES

**EYE CONTACT:**

FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES WHILE LIFTING UPPER AND LOWER EYE LIDS. GET IMMEDIATE MEDICAL ATTENTION.

**SKIN CONTACT:**

WIPE EXCESS FROM SKIN AND FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. LAUNDER CLOTHING, DISCARD LEATHER CLOTHING.

**INHALATION:**

REMOVE PERSON TO FRESH AIR AND CALL A PHYSICIAN. PREVENT ASPIRATION OF VOMIT BY TURNING VICTIMS HEAD TO THE SIDE.

**INGESTION:**

DO NOT INDUCE VOMITING. ADMINISTER 3-4 GLASSES OF MILK OR WATER. GET IMMEDIATE MEDICAL ATTENTION. NOTHING BY MOUTH IF VICTIM IS DROWSY, CONVULSING, OR UNCONSCIOUS.

## SECTION V - FIRE-FIGHTING MEASURES

Flammability Class

IIIB

Flash Range:

Not Available

Pensky-Martens Closed Cup ASTM D 93  
270F

Explosive Range:

Not Available

---



# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#2  
Version Number: H  
MSDS Date: JUN-15-2005  
Page Number: 3 of 6

---

## FIRE-FIGHTING MEASURES:

WATER FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE.  
DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES AND RUBBER BOOTS), INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS (SCBA).  
COOL FIRE EXPOSED CONTAINERS WITH WATER.

## SECTION VI - ACCIDENTAL RELEASE MEASURES

### SPILLS:

ABSORB LIQUID MATERIAL AND PLACE IN CONTAINER FOR DISPOSAL. COMPLY WITH LOCAL, STATE, AND FEDERAL EPA REGULATIONS.

## SECTION VII - HANDLING AND STORAGE

### STORAGE CONDITIONS:

STORE IN A COOL, DRY PLACE. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

## SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational Exposure Limits

	ACGIH TLV	ACGIH TLV-C	ACGIH STEL	OSHA STEL	OSHA PEL
MERCAPTAN TERMINATED POLYMER	N/est	N/est	N/est	N/est	N/est
TERTIARY AMINE	N/est	N/est	N/est	N/est	N/est

### PERSONAL PROTECTIVE EQUIPMENT:

IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROL OR VENTILATION, WEAR A RESPIRATOR APPROVED BY NIOSH/MSHA WHENEVER EXPOSED TO FUMES OR VAPORS. COMPLY WITH OSHA 1910.134 (CFR).  
SELF-CONTAINED BREATHING APPARATUS IN HIGH CONCENTRATIONS.  
LOCAL EXHAUST IS RECOMMENDED.  
USE CHEMICAL RESISTANT PROTECTIVE GLOVES, CHEMICAL SPLASH GOGGLES.  
CHEMICAL RESISTANT PROTECTIVE CLOTHING TO MINIMIZE EXPOSURE;  
CHEMICAL SPLASH APRON, FULL FACE SHIELD. EYE WASH STATION AND SAFETY SHOWER SHOULD BE AVAILABLE FOR EMERGENCY USE.

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

---

# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#2  
Version Number: H  
MSDS Date: JUN-15-2005  
Page Number: 4 of 6

---

Form: LIQUID  
Appearance/Color: TRANSPARENT AMBER  
Odor: MERCAPTAN  
Boiling Range: Not Available  
Vapor Pressure (mmHg): Not Available  
Melting Point: Not Applicable  
Evaporation Rate: Unavailable

% Volatile: Not Available  
Specific Gravity: 1.13  
VOC: 35.25 GM/LITER\*

OTHER INFORMATION:  
\*VOC CONTENT WAS TESTED VIA EPA METHOD 24

## SECTION X - STABILITY AND REACTIVITY

Stability: This product is stable  
Hazardous Polymerization: Hazardous polymerization will not occur

### REACTIVITY:

#### INCOMPATIBILITY:

OXIDIZING AGENTS, CLEANING SOLUTIONS SUCH AS CHROMERGE/AQUA REGIA.  
STRONG MINERAL AND LEWIS ACIDS. HALOGENATED ORGANIC COMPOUNDS.

#### CONDITIONS TO AVOID:

HIGH TEMPERATURES.

#### HAZARDOUS DECOMPOSITION PRODUCTS:

CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES, AMMONIA, HYDROGEN  
SULPHIDE, OXIDES OF SULPHUR.

## SECTION XI - TOXICOLOGICAL INFORMATION

Lethal Dose Information (ppm)	Oral	Skin	Inhale	LC50
-------------------------------	------	------	--------	------

TOXICOLOGICAL INFORMATION:  
NO INFORMATION IS AVAILABLE.

## SECTION XII - ECOLOGICAL INFORMATION

NO INFORMATION IS AVAILABLE.

## SECTION XIII - DISPOSAL CONSIDERATIONS

---

# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#2  
Version Number H  
MSDS Date: JUN-15-2005  
Page Number: 5 of 6

---

## RCRA CONSIDERATIONS:

THIS PRODUCT IF DISPOSED OF IN THE PURCHASED FORM IS NOT CONSIDERED RCRA HAZARDOUS.

## SECTION XIV - TRANSPORT INFORMATION

UN Number  
UN Pack Group  
UN Class  
ICAO/IATA Class NOT REGULATED  
IMDG Class NOT REGULATED  
Shipping Name PLASTIC LIQUID, NOS  
ADR/RID Class NOT REGULATED  
DOT Hazard Class  
Technical Name

## SECTION XV - REGULATORY INFORMATION

### TSCA STATUS:

ALL INGREDIENTS CONTAINED IN THIS PRODUCT ARE ON THE TSCA INVENTORY.

### INVENTORY STATUS:

ALL THE COMPONENT(S) OF THIS PRODUCT HAVE BEEN FOUND ON THE FOLLOWING INVENTORIES:

UNITED STATES  
CANADA (DSL)  
EUROPE

ALL THE COMPONENT(S) OF THIS PRODUCT HAVE NOT YET BEEN IDENTIFIED ON THE FOLLOWING INVENTORIES:

JAPAN  
AUSTRALIA  
KOREA  
CHINA  
PHILIPPINES

### SCHEDULE B NUMBER:

3506.91.0000 IS THE SCHEDULE B EXPORT CLASSIFICATION NUMBER.

### PROPOSITION 65 INFORMATION:

04001 PART B DOES NOT CONTAIN ANY CHEMICAL, KNOWN BY THE STATE OF

---

# MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE  
MSDS Number: 08173#2  
Version Number H  
MSDS Date: JUN-15-2005  
Page Number: 6 of 6

---

CALIFORNIA, TO CAUSE CANCER/REPRODUCTIVE TOXICITY.

## SECTION XVI - OTHER INFORMATION

### DISCLAIMER:

ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT AS OF THE DATE HEREOF, ROYAL ADHESIVES & SEALANTS LLC MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF. INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING SAME WILL MAKE THEIR OWN DETERMINATION AS TO ITS SUITABILITY FOR THEIR PURPOSES PRIOR TO USE. IN NO EVENT WILL ROYAL ADHESIVES & SEALANTS LLC BE RESPONSIBLE FOR DAMAGES OF ANY NATURE WHATSOEVER RESULTING FROM THE USE OF OR RELIANCE UPON INFORMATION. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OF ANY NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.