



Pony Testing International Group

Report No.: H12023030216D~1

MSDS Report

Effective Date: January 1, 2014

Sample Name
& Model

Lithium Ion Battery (ITR18650 3.7V 2000mAh)

Applicant

Zhejiang Tianneng Energy Technology Co., Ltd.

Address

Huaxi Industry Zone, Changxing Country, Zhejiang Province



No.: H12023030216D
Code: jiv5mff



www.ponytest.com ©Hotline 400-819-5688

Add: 北京市海淀区苏州街49-3号尚智大厦	Add: 上海市徐汇区桂平路680号35号楼4层	Add: 深圳市南山区创业路中兴工业城6楼11层	Add: 青岛市城阳区林湖路190号6楼
Tel: (010) 82618118	Tel: (021) 64851999	Tel: (0755) 26050909	Tel: (0532) 88706866
Add: 天津市南开区红卫路聚鑫大厦10层	Add: 宁波市海曙区鄞西路150号二期1号楼4层	Add: 广州市海珠区敦和路189号海珠科技园3号楼7层	
Tel: (022) 27360730	Tel: (0574) 87736499	Tel: (020) 89224310	



Pony Testing International Group

Report No. : H12023030216D~1 Date: 12.16.2013 Page 1 of 10

Material Safety Data Sheet

According to ISO11014:2009 & GB16483-2008

Section 1 - Chemical Product and Company Identification

Chemical product identification

Product Name: Lithium Ion Battery**Battery Type:** ITR18650 3.7V 2000mAh

Company identification

Manufacturer: Zhejiang Tianneng Energy Technology Co., Ltd.**Address:** Huaxi Industry Zone, Changxing Country, Zhejiang Province**Tel:** 0572-6216678**Fax:** 0572-6216622**Post code:** 313100

For Emergencies contact ChemTel 1-800-255-3824

Section 2 - Hazards Identification

No harm at the normal use. If contact the electrolyte in the battery, reference as follows:

Classification of the substance or mixture

Classification according to GHS

Acute toxicity, Oral (Category 4)

Acute toxicity, Dermal (Category 3)

Skin, irritate (Category 1B)

Eyes, irritate (Category 1)

Label elements

Labelling according to Regulation (EC) No 1272/2008[CLP]

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage



Pony Testing International Group

Report No. : H12023030216D~1 Date: 12.16.2013 Page 2 of 10

H302: Harmful if swallowed.

Precautionary statement(s):

Prevention: P280: Wear protective gloves/protective clothing/eye protection / face protection.

Response: P312: Call a POISON CENTER or doctor/ physician if you feel unwell.

P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Disposal: P501: Dispose of contents/container in accordance with local/national regulations

Other hazards

No information available.

Section 3 - Composition, Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Aluminum	7429-90-5	231-072-3	2-4
Copper	7440-50-8	231-159-6	5-9
Carbon	1333-86-4	231-153-3	15-20
Polyvinylidene Fluoride (PVDF)	24937-79-9	200-867-7	<1
Nickel and Cobalt Manganese Compounds	---	---	30-38
Lithium	7439-93-2	231-102-5	2-3
Nickel Plating Steel Shell	---	---	15-20
Electrolyte	---	---	10-15

Section 4 - First Aid Measures

Description of first aid measures

General information No special measures required.



Pony Testing International Group

Report No. : H12023030216D~1 Date: 12.16.2013 Page 3 of 10

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Information for doctor:

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Section 5 - Fire Fighting Measures

Flammability: Not available.

Extinguishing media**Suitable extinguishing agents**

Use extinguishing agent suitable for local conditions and the surrounding environment .
Such as dry powder , CO₂.

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C(302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

Advice for firefighters

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures



Pony Testing International Group

Report No. : H12023030216D~1 Date: 12.16.2013 Page 4 of 10

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions

Do not allow material to be released to the environment without proper governmental permits.

Steps to be taken in case material is spilled or released

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Waste disposal method

All waste must refer to the United Nations, the national and local regulations for disposal.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Handling

Precautions for safe handling

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions

Keep container tightly sealed.

Specific and use

No further relevant information available.



Pony Testing International Group

Report No. : H12023030216D~1 Date: 12.16.2013 Page 5 of 10

Section 8 - Exposure Controls, Personal Protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

12190-79-3 Lithium Cobalt Oxide

TLV (USA) 0.02mg/m³.MAK(Germany) 0.1mg/m³.

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Respiratory Protection

Use suitable respirator when high concentrations are present.

Personal Protection

Protection of hands



Protective gloves

Eye protection



Tightly sealed goggles

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

General information

Appearance:

Blue.



Report No. : H12023030216D~1 Date: 12.16.2013 Page 6 of 10

Pony Testing International Group

Form:	Cylindrical.
Odour:	Odorless.
pH:	Not available.
Change in condition	
Melting point:	Not available.
Boiling point:	Not available.
Freezing point	Not available.
Flash point:	Not available.
Flammability:	Not available.
Ignition temperature:	Not available.
Decomposition temperature:	Not available.
Self-igniting:	Not available.
Danger of explosion:	Not available.
Explosion limits	
Lower:	Not available.
Upper:	Not available.
Oxidizing properties:	Not available.
Vapour pressure:	Not available.
Density:	Not available.
Relative density:	Not available.
Vapour density:	Not available.
Evaporation rate:	Not available.
Solubility in/Miscibility with water:	Not available.
n-octanol/water partition coefficient:	Not available.
Viscosity	Not available.
Dynamic:	Not available.
Kinematic:	Not available.
Other information:	
Voltage	3.7V
Electric capacity	2000mAh

Section 10 - Stability and Reactivity

Reactivity: Data not available.

Chemical stability: Stable.



Report No. : H12023030216D~1 Date: 12.16.2013 Page 7 of 10

Pony Testing International Group

Possibility of hazardous reactions: Data not available.**Conditions to Avoid**

Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities

Oxidizing agents, acid, base.

Hazardous Combustible Products

Carbon monoxide, carbon dioxide, lithium oxide fumes.

Hazardous Polymerization

N/A.

Section 11 - Toxicological Information

Information on toxicological effects**Acute toxicity****LD/LC50 Values relevant for classification:**

Not available.

Primary Irritant effect

No further relevant information available.

Sensitization:

No further relevant information available.

Additional toxicological information:**Toxicological, metabolism and distribution:**

No further relevant information available.

Acute effects (acute toxicity, irritation and corrosivity):

No further relevant information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):

No further relevant information available.

Section 12 - Ecological Information

Toxicity**Aquatic toxicity:** No further relevant information available.**Persistence and degradability:** No further relevant information available.**Behaviour in environmental systems**



Pony Testing International Group

Report No. : H12023030216D~1 Date: 12.16.2013 Page 8 of 10

Bioaccumulative potential: No further relevant information available.
Mobility in soil: No further relevant information available.

Ecological effects**Additional ecological information****General notes:**

Do not allow material to be released to the environment without proper governmental permits.

Other adverse effects: No further relevant information available.

Section 13 - Disposal Considerations

Waste treatment methods**Recommendation:**

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

Section 14 - Transport Information

According to the Packing Instruction 965~967 of IATA DGR 55th Edition for transportation, or the special provision 188 of IMDG, or the <<Recommendations On The Transport Of Dangerous Goods-Model Regulations>> (18th).

More information concerning shipping, testing, marking and packaging can be obtained from Label master at <http://www.labelmaster.com>.

Separate Lithium-ion batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain.

Transport Fashion: By air, by sea, by railway, by road.

Section 15 - Regulatory Information

This Material Safety Data Sheet complies with the requirements of Regulation (EC)



Pony Testing International Group

Report No. : H12023030216D~1 Date: 12.16.2013 Page 9 of 10

No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture

Composition	CAS#	TSCA	EC#	EINECS
Aluminum	7429-90-5	Listed	231-072-3	Listed
Copper	7440-50-8	Listed	231-159-6	Listed
Carbon	1333-86-4	Listed	231-153-3	Listed
Polyvinylidene Fluoride (PVDF)	24937-79-9	Listed	200-867-7	Listed
Lithium	7439-93-2	Listed	231-102-5	Listed

Section 16 - Additional Information

Abbreviations and acronyms

CLP:	EU regulation (EC) No 1272/2008 on classification, labelling and packaging of chemical substances and mixtures.
CAS:	Chemical Abstracts Service (Division of the American Chemical Society).
ACGIH:	American Conference of Governmental Industrial Hygienists
TLV:	Threshold Limit Value
IATA:	International Air Transport Association
IMDG:	International Maritime Dangerous Goods
LC50:	lethal concentration, 50 percent kill
LD50:	lethal dose, 50 percent kill
TWA	Time Weighted Average
TSCA	United States Toxic Substances Control Act Section 8(b) Inventory
EINECS	European Inventory of Existing Commercial Chemical Substances
Model	Recommendations on the Transport of Dangerous Goods Model
Regulation	Regulations

Declare to reader

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions



Report No. : H12023030216D~1 Date: 12.16.2013 Page 10 of 10

Pony Testing International Group

beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Prepared by: *Liu Xiaohu* Checked by: *Yang Jinghua* Approved by: *Liye*

MSDS Creation Date: December 16, 2013

End of report